

according to Regulation (EC) No. 1907/2006 (REACH)

Leak finder spray with DVGW frost protection

Version number: GHS 2.2 Revision: 25.11.2021

Replaces version of: 26.03.2021 (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Leak finder spray with DVGW frost protection

Unique formula identifier (UFI) WM00-Q0KT-X000-FSFT

Article number 1418

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Leakfinder

Industrial uses Professional uses Consumer uses

1.3 Details of the supplier of the safety data sheet

Klostermann Chemie GmbH & Co.KG Von-dem-Bussche-Münch-Straße 4 32339 Espelkamp Germany

Telephone: +49 (0) 5772 6711

e-mail: info@klostermann-chemie.de Website: www.klostermann-chemie.de

e-mail (competent person)

info@klostermann-chemie.de (Tim Schürstedt)

1.4 Emergency telephone number

Poison	centre
r OlaOli	centre

Name	Postal code/city	Telephone
Beratungsstelle bei Vergiftungen Giftinformationszentrale der Länder Rheinland-Pfalz und Hessen	55131 Mainz	+49 (0) 6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.3	aerosols	3	Aerosol 3	H229

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning- Pictograms not required

- Hazard statements

H229 Pressurised container: May burst if heated.

Germany: en Page: 1 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Leak finder spray with DVGW frost protection

Version number: GHS 2.2 Revision: 25.11.2021

Replaces version of: 26.03.2021 (GHS 1)

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P251 Do not pierce or burn, even after use.
P271 Use only outdoors or in a well-ventilated area.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regu-

lations.

2.3 Other hazards

of no significance

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
nitrogen	CAS No 7727-37-9	10-<25	Press. Gas C / H280	\oightarrow
	EC No 231-783-9			·
Amines, C12-14 (even) al- kyldimethyl, N-oxides	CAS No 308062-28-4	<1	Aquatic Acute 1 / H400 Aquatic Chronic 3 / H412	***
	EC No 931-292-6			
	REACH Reg. No 01-2119490061-47- xxxx			

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

Germany: en Page: 2 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Leak finder spray with DVGW frost protection

Version number: GHS 2.2 Revision: 25.11.2021 Replaces version of: 26.03.2021 (GHS 1)

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

Germany: en Page: 3 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Leak finder spray with DVGW frost protection

Version number: GHS 2.2 Revision: 25.11.2021 Replaces version of: 26.03.2021 (GHS 1)

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

Control of effects

Protect against external exposure, such as

frost

- Packaging compatibilities Keep only in original container.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

This information is not available.

Relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Amines, C12-14 (even) alkyldimethyl, N-ox- ides	308062-28-4	DNEL	6.2 mg/m³	human, inhalatory	worker (industry)	chronic - systemic ef- fects
Amines, C12-14 (even) alkyldimethyl, N-ox- ides	308062-28-4	DNEL	11 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Amines, C12-14 (even) alkyldimethyl, N-ox- ides	308062-28-4	PNEC	0.034 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
Amines, C12-14 (even) alkyldimethyl, N-ox- ides	308062-28-4	PNEC	0.003 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)
Amines, C12-14 (even) alkyldimethyl, N-ox- ides	308062-28-4	PNEC	24 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
Amines, C12-14 (even) alkyldimethyl, N-ox- ides	308062-28-4	PNEC	5.24 mg/ _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
Amines, C12-14 (even) alkyldimethyl, N-ox- ides	308062-28-4	PNEC	0.524 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
Amines, C12-14 (even) alkyldimethyl, N-ox- ides	308062-28-4	PNEC	1.02 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)

8.2 Exposure controls

Germany: en Page: 4 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Leak finder spray with DVGW frost protection

Version number: GHS 2.2 Revision: 25.11.2021 Replaces version of: 26.03.2021 (GHS 1)

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)







Eye/face protection

Use protective eyewear to guard against splash of liquids.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

During spraying wear suitable respiratory equipment.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid, solid, gaseous (spray aerosol)
Colour	colourless
Odour	faintly perceptible
Melting point/freezing point	-210 °C at 1,013 hPa
Boiling point or initial boiling point and boiling range	not applicable (aerosol)
Flammability	non-flammable aerosol in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	not applicable (aerosol)
Auto-ignition temperature	>400 °C
Decomposition temperature	not relevant
pH (value)	not applicable (aerosol)
Kinematic viscosity	not relevant
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Germany: en Page: 5 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Leak finder spray with DVGW frost protection

Version number: GHS 2.2 Revision: 25.11.2021 Replaces version of: 26.03.2021 (GHS 1)

Vapour pressure	0.023 bar at 20 °C
Density and/or relative density	

Density	1.01 ^g / _{ml}
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (aerosol)

9.2 Other information

Information with regard to physical hazard classes

Aerosols

- Components (flammable)	0 %
Other safety characteristics	
Temperature class (EU, acc. to ATEX)	T2 (maximum permissible surface temperature on the equipment: 300°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s).

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat.

Hints to prevent fire or explosion

Protect from sunlight.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

Germany: en Page: 6 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Leak finder spray with DVGW frost protection

Version number: GHS 2.2 Revision: 25.11.2021 Replaces version of: 26.03.2021 (GHS 1)

,

SECTION 11: Toxicological information

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment. Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK 2, obviously hazardous to water (Germany)

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

Germany: en Page: 7 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Leak finder spray with DVGW frost protection

Version number: GHS 2.2 Revision: 25.11.2021 Replaces version of: 26.03.2021 (GHS 1)

12.6 Endocrine disrupting properties

Information on this property is not available.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN	number	or ID	number
------	----	--------	-------	--------

ADR/RID/ADN UN 1950 IMDG-Code UN 1950 ICAO-TI UN 1950

14.2 UN proper shipping name

ADR/RID/ADN AEROSOLS IMDG-Code AEROSOLS

ICAO-TI Aerosols, non-flammable

14.3 Transport hazard class(es)

ADR/RID/ADN 2 (2.2)
IMDG-Code 2.2
ICAO-TI 2.2

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulátions

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Germany: en Page: 8 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Leak finder spray with DVGW frost protection

Version number: GHS 2.2 Revision: 25.11.2021 Replaces version of: 26.03.2021 (GHS 1)

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Classification code 5A
Danger label(s) 2.2



Special provisions (SP) 190, 327, 344, 625

Excepted quantities (EQ) E0
Limited quantities (LQ) 1 L
Transport category (TC) 3
Tunnel restriction code (TRC) E

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant Danger label(s) 2.2



Special provisions (SP) 63, 190, 277, 327, 344, 381, 959

Excepted quantities (EQ) E0
Limited quantities (LQ) 1 L
EmS F-D, S-U

Stowage category -

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 2.2



Special provisions (SP) A98, A145, A167

Excepted quantities (EQ) E0
Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations (Germany)

Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK 2 obviously hazardous to water (water hazard class)

Technical instructions on air quality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass concentra- tion	Notation
5.2.5	organic substances		≥ 25 wt%	0.5 ^{kg} / _h	50 ^{mg} / _{m³}	3)

Notation

Germany: en Page: 9 / 11

a total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m³, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)



according to Regulation (EC) No. 1907/2006 (REACH)

Leak finder spray with DVGW frost protection

Version number: GHS 2.2 Revision: 25.11.2021 Replaces version of: 26.03.2021 (GHS 1)

Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

Storage class (LGK)

2 B (aerosol dispensers and lighters)

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
1.1		Unique formula identifier (UFI): WM00-Q0KT-X000-FSFT	yes
1.3	Details of the supplier of the safety data sheet: Klostermann Chemie GmbH & Co.KG Von-dem-Bussche-Münch-Straße 4 32339 Espelkamp Germany Telephone: 05772 6711 e-mail: info@klostermann-chemie.de Website: www.klostermann-chemie.de	Details of the supplier of the safety data sheet: Klostermann Chemie GmbH & Co.KG Von-dem-Bussche-Münch-Straße 4 32339 Espelkamp Germany Telephone: +49 (0) 5772 6711 e-mail: info@klostermann-chemie.de Website: www.klostermann-chemie.de	yes
9.1		Relative vapour density: information on this property is not available	yes
9.1	Particle characteristics: no data available	Particle characteristics: not relevant (aerosol)	yes
14.6	Special precautions for user: Provisions for dangerous goods (ADR) should be complied within the premises.	Special precautions for user: There is no additional information.	yes
16		Abbreviations and acronyms: change in the listing (table)	yes

Abbreviations and acronyms

Abbr. Descriptions of used abbreviations.

ADN. Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Water-

ADR. Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road).

Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/

ADR/RID/

ADN. Aquatic

Hazardous to the aquatic environment - acute hazard. Acute.

Aquatic Chronic. CAS. Hazardous to the aquatic environment - chronic hazard.

Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances). Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. CLP.

DGR. Dangerous Goods Regulations (see IATA/DGR).

DNEL. Derived No-Effect Level.

EC No. The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of

substances commercially available within the EU (European Union). European Inventory of Existing Commercial Chemical Substances. European List of Notified Chemical Substances. EINECS.

ELINCS.

EmS.

Emergency Schedule.
"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations. GHS.

IATA International Air Transport Association.

Dangerous Goods Regulations (DGR) for the air transport (IATA). International Civil Aviation Organization.

IATA/DGR. ICAO.

Technical instructions for the safe transport of dangerous goods by air. International Maritime Dangerous Goods Code. ICAO-TI.

IMDG. IMDG-Code. International Maritime Dangerous Goods Code.

Index No. The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No

1272/2008.

I GK Lagerklasse (storage class according to TRGS 510, Germany).

No-Longer Polymer. NLP.

Persistent, Bioaccumulative and Toxic. PBT. PNEC. Predicted No-Effect Concentration.

Page: 10 / 11 Germany: en



according to Regulation (EC) No. 1907/2006 (REACH)

Leak finder spray with DVGW frost protection

Version number: GHS 2.2 Revision: 25.11.2021 Replaces version of: 26.03.2021 (GHS 1)

Abbr. Descriptions of used abbreviations.

Press. Gas. Gas under pressure.

REACH. Registration, Evaluation, Authorisation and Restriction of Chemicals.

RID. Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern-

ing the International carriage of Dangerous goods by Rail).

TRGS. Technische Regeln für GefahrStoffe (technical rules for hazardous substances, Germany).

VPvB. Very Persistent and very Bioaccumulative.

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code. Text.

H229. Pressurised container: May burst if heated.

H280. Contains gas under pressure; may explode if heated.

H400. Very toxic to aquatic life.

H412. Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Germany: en Page: 11 / 11